

Table S1. Definitions of the equation symbols

Symbols	meaning
V	membrane potential
$V_{0.5}$	half (in)activation constant
V_h	holding potential
V_s	voltage steps
A_c	cell surface area
V_c	cell volume
C_m	specific membrane capacitance
R	the universal gas constant
F	the Faraday constant
T	absolute temperature
Q_{10}	Temperature coefficient
ΔT	Temperature change
Ca^{2+}	calcium ion
Na^+	sodium ion
K^+	potassium ion
Cl^-	chloride ion
Mg^{2+}	magnesium ion
Cs^+	cesium ion
NMGD	N-methyl-D-glucamine
z_{Na}	Na^+ valency
z_{Ca}	Ca^{2+} valency
z_K	K^+ valency
β	Proportion of free Ca^{2+} ions
$[X]_i$	intracellular concentration of ion X
$[X]_o$	extracellular concentration of ion X
$[Ca^{2+}]_i$	intracellular calcium
$[Ca^{2+}]_o$	extracellular calcium
$[Na^+]_i$	intracellular sodium
$[Na^+]_o$	extracellular sodium
$[K^+]_i$	intracellular potassium
$[K^+]_o$	extracellular potassium
$[Cl^-]_i$	intracellular chloride
$[Cl^-]_o$	extracellular chloride
$[Mg^{2+}]_o$	extracellular magnesium
$[Cs^+]_i$	intracellular cesium
$[Cs^+]_o$	extracellular cesium
[NMGD]	concentration of NMGD
E_{rev}	reversal potential
E_{CaL}	reversal potential of I_{CaL}
E_{CaT}	reversal potential of I_{CaT}
E_{Na}	reversal potential of I_{Na}
E_h	reversal potential of I_h
E_K	reversal potential of potassium currents
E_{Cl}	reversal potential of $I_{Cl(Ca)}$
E_{NS}	reversal potential of I_{NSCC}

Continued on next page

Table S1 – continued from previous page

Symbols	meaning
P_{Ca}	Permeability of calcium, ratio of flux concentration with respect to cesium
P'_{Ca}	Permeability of calcium, corrected with the effect of the electric field
P_{Na}	Permeability of sodium
P_K	Permeability of potassium
P_{Cs}	Permeability of cesium
P_{NMGD}	Permeability of NMGD
I	current
I_{ion}	total membrane ionic currents
I_{CaL}	L-type Ca^{2+} current
I_{CaT}	T-type Ca^{2+} current
I_{Na}	fast inward Na^+ current
I_h	hyperpolarization-activated current
I_{K1}	voltage-gated K^+ current, inactivate with $V_h \geq -40$ mV
I_{K2}	voltage-gated K^+ current, inactivate with $V_h \geq 0$ mV
I_{Ka}	A-type transient K^+ current
$I_{K(Ca)}$	total Ca^{2+} -activated K^+ current
I_α	$I_{K(Ca)}$ subtype, consists of only α subunits
$I_{\alpha\beta1}$	$I_{K(Ca)}$ subtype, consists of α and $\beta1$ subunits
I_b	background K^+ current
$I_{Cl(Ca)}$	Ca^{2+} -activated Cl^- currents
I_{NSCC}	non-specific cation current
$I_{NSCC,Ca}$	calcium component of I_{NSCC}
I_{NaK}	Na^+ - K^+ pump current
I_{NaCa}	Na^+ - Ca^{2+} exchanger current
J	Ca^{2+} flux
$J_{Ca,mem}$	Ca^{2+} flux <i>via</i> membrane Ca^{2+} currents
J_{PMCA}	Ca^{2+} flux <i>via</i> plasma membrane Ca^{2+} -ATPase
J_{NaCa}	Ca^{2+} flux <i>via</i> Na^+ - Ca^{2+} exchanger
\bar{J}_{PMCA}	maximal J_{PMCA}
\bar{J}_{NaCa}	maximal J_{NaCa}
\bar{g}	maximum conductance
\bar{g}_{CaL}	maximum conductance of I_{CaL}
\bar{g}_{CaT}	maximum conductance of I_{CaT}
\bar{g}_{Na}	maximum conductance of I_{Na}
\bar{g}_h	maximum conductance of I_h
\bar{g}_{K1}	maximum conductance of I_{K1}
\bar{g}_{K2}	maximum conductance of I_{K2}
\bar{g}_{Ka}	maximum conductance of I_{Ka}
$\bar{g}_{K(Ca)}$	maximum conductance of $I_{K(Ca)}$
\bar{g}_b	maximum conductance of I_b
$\bar{g}_{Cl(Ca)}$	maximum conductance of $I_{Cl(Ca)}$
\bar{g}_{NS}	maximum conductance of I_{NSCC}
\bar{g}_L	maximum conductance of the leak component in I_{NSCC}
\bar{g}_{NaK}	maximum conductance of I_{NaK}
g_{NS}	conductance of I_{NSCC}

Continued on next page

Table S1 – continued from previous page

Symbols	meaning
g_s	numerical constant, used for normalizing dependency of extracellular ions on the conductance of I_{NSCC}
n_K	Hill coefficient of $[K^+]_o$ dependency of I_{NaK}
n_{Na}	Hill coefficient of $[Na^+]_i$ dependency of I_{NaK}
n_{PMCA}	Hill coefficient of plasma membrane Ca^{2+} -ATPase
n_{Allo}	Hill coefficient of allosteric regulation of Na^+ - Ca^{2+} exchanger
n_F	Hill coefficient of the steady-state of calcium-dependent active force
f_{Ca}	Calcium inhibition of I_{CaL}
f_{Mg}	Magnesium inhibition of I_{NSCC}
f_{NaK}	Voltage-dependency of I_{NaK}
n_{NaK}	$[Na^+]_i$ dependency of I_{NaK}
k_{NaK}	$[K^+]_o$ dependency of I_{NaK}
k_{sat}	Saturation factor for Na^+ - Ca^{2+} exchanger at very negative potential
$f_{1,NaCa}$	Potential dependency of J_{NaCa}
$f_{2,NaCa}$	Potential dependency of J_{NaCa}
f_{allo}	Allosteric regulation by $[Ca^{2+}]_i$ of Na^+ - Ca^{2+} exchanger
γ	Partition parameter of J_{NaCa}
pa	proportion of I_α in $I_{K(Ca)}$
pb	proportion of $I_{\alpha\beta 1}$ in $I_{K(Ca)}$
$K_{1,Cl}$	Equilibrium constant for the calcium-binding property of c_∞ of $I_{Cl(Ca)}$
$K_{2,Cl}$	Equilibrium constant for the voltage-dependency of c_∞ of $I_{Cl(Ca)}$
$K_{d,CaL}$	Half-saturation concentration for $[Ca^{2+}]_i$ inhibition of I_{CaL}
$K_{d,Mg}$	Half-saturation concentration for $[Mg^{2+}]_o$ inhibition of I_{NSCC}
$K_{m,K}$	Half-saturation concentration for $[K^+]_o$ dependency of I_{NaK}
$K_{m,Na}$	Half-saturation concentration for $[Na^+]_i$ dependency of I_{NaK}
$K_{m,PMCA}$	Half-saturation concentration for $[Ca^{2+}]_i$ association of plasma membrane Ca^{2+} -ATPase
$K_{m,Allo}$	Half-saturation concentration for $[Ca^{2+}]_i$ allosteric factor of Na^+ - Ca^{2+} exchanger
$K_{m,Cai}$	Dissociation constant for $[Ca^{2+}]_i$ of Na^+ - Ca^{2+} exchanger
$K_{m,Cao}$	Dissociation constant for $[Ca^{2+}]_o$ of Na^+ - Ca^{2+} exchanger
$K_{m,Nai}$	Dissociation constant for $[Na^+]_i$ of Na^+ - Ca^{2+} exchanger
$K_{m,Nao}$	Dissociation constant for $[Na^+]_o$ of Na^+ - Ca^{2+} exchanger
$K_{m,F}$	Apparent affinity constant for $[Ca^{2+}]_i$ of contraction
b	Activation gate of I_{CaT}
c	Activation gate of $I_{Cl(Ca)}$
d	Activation gate of I_{CaL}
f_1	Fast inactivation gate of I_{CaL}
f_2	Slow inactivation gate of I_{CaL}
g	Inactivation gate of I_{CaT}
h	Inactivation gate of I_{Na}
m	Activation gate of I_{Na}
p	Activation gate of I_{K2}
k_1	Fast inactivation gate of I_{K2}
k_2	Slow inactivation gate of I_{K2}
q	Activation gate of I_{K1}

Continued on next page

Table S1 – continued from previous page

Symbols	meaning
r_1	Fast inactivation gate of I_{K1}
r_2	Slow inactivation gate of I_{K1}
s	Activation gate of I_{Ka}
x	Inactivation gate of I_{Ka}
$x_{\alpha\beta 1}$	Activation gate of $I_{\alpha\beta 1}$
x_α	Activation gate of I_α
y	Activation gate of I_h
ω	Activation gate of Force
b_∞	Steady-state of b
c_∞	Steady-state of c
d_∞	Steady-state of d
f_∞	Steady-state of f_1 and f_2
g_∞	Steady-state of g
h_∞	Steady-state of h
k_∞	Steady-state of k_1 and k_2
m_∞	Steady-state of m
p_∞	Steady-state of p
q_∞	Steady-state of q
r_∞	Steady-state of r_1 and r_2
s_∞	Steady-state of s
x_∞	Steady-state of x
y_∞	Steady-state of y
ω_∞	Steady-state of ω
$SS_{\alpha\beta 1}$	Steady-state of $x_{\alpha\beta 1}$
SS_α	Steady-state of x_α
$V_{0.5,\alpha\beta 1}$	Half activation of $x_{\alpha\beta 1}$
$V_{0.5,\alpha}$	Half activation of x_α
$z_{\alpha\beta 1}$	Gating charge of $x_{\alpha\beta 1}$
z_α	Gating charge of x_α
$\tau_{\alpha\beta 1}$	Time constant of $x_{\alpha\beta 1}$
τ_α	Time constant of x_α
τ_b	Time constant of b
τ_c	Time constant of c
τ_d	Time constant of d
τ_{f1}	Time constant of f_1
τ_{f2}	Time constant of f_2
τ_g	Time constant of g
τ_h	Time constant of h
τ_{k1}	Time constant of k_1
τ_{k2}	Time constant of k_2
τ_m	Time constant of m
τ_p	Time constant of p
τ_q	Time constant of q
τ_{r1}	Time constant of r_1
τ_{r2}	Time constant of r_2
τ_s	Time constant of s

Continued on next page

Table S1 – continued from previous page

Symbols	meaning
τ_x	Time constant of x
τ_y	Time constant of y
τ_ω	Time constant of ω
α_y	Rate constant of activation of y
β_y	Rate constant of deactivation of y